

BUILDING STORE

Product Catalog


Category Index

3	Moulding, Plywood and WPC Jambs	73	Aluminum siding
5	Casing	76	Vinyl and Aluminum accessories
7	Flat Extensions (Jambs)	79	Flatstock (Gentek)
8	V-Groove Extensions	83	Flatstock (Our Brand)
9	WindowSill Extensions	85	Lintel
10	Small Mouldings		
11	Flex Mouldings	86	Hardware
12	Natural Wood casing	87	Brad Nails
13	Plywood	89	Screws (Flat)
		90	Screws (Type “a”)
14	Paints, Sealants and PU Foams	91	Screws (Pan)
15	Tremco	92	Screws (Round)
37	Soudal		
41	Mulco		
43	DAP		
48	Dow		
55	PU Foams		
60	Foam Cleaners		
63	Chemicals		
65	Spray Paints		
67	Building Materials		
68	Board & Batten vinyl siding		
69	Sequoia vinyl siding		
70	Oxford vinyl siding		

Category Index

- 93 Hand Tools
 - 94 Sausage guns
 - 94 Caulking guns
 - 95 Foam guns
 - 97 Suctions cups
 - 98 Snippers (Malco)
 - 99 Measuring tape
 - 100 Utility knives
 - 101 Chisels
 - 102 Soft Face Mallet
 - 103 Pry Bar
 - 104 Residential Hinge Adjuster
- 105 A-Richard products
- 112 Hand Tools accessories
 - 113 Sausage gun nozzles
 - 114 Utility knives blades
- 115 Power Tools
 - 117 Power tools (Hilti)
 - 118 Cordless tools (Hilti)
- 119 Power Tool accessories
 - 120 Reciprocating saw blades (Cranco)
 - 121 Circular saw blades (Cranco)
 - 122 Oscillating saw blades
 - 123 Reciprocating saw blades (Hilti)
 - 124 Circular saw blades (Hilti)
 - 125 Spade Drill
 - 126 Screwdriver bits
- 128 Accessories
 - 129 Shims (wood, plastic)
 - 131 Hole Plugs
 - 132 Drop sheets, Floor Runner
 - 134 Cotton Rags
 - 135 Backer Rod
 - 136 Stretch Films, Bubble Wrap
 - 138 Ratchet Tie down
 - 139 Bending Machines and accessories
- 141 Tapes
 - 142 Masking tapes
 - 143 Glazing tapes
- 144 Safety
 - 145 PVC dotted gloves
 - 146 Nylon Latex Wrinkle Coated Gloves
 - 147 Cotton/PU Nitrile Coating Gloves
 - 149 Safety glasses

Moulding



Double primed and covered with a single coat of water-based primer paint. Quality controlled to ensure no piths, machine marks, fiber tearing, skip dressing and raise grain.

- Radiata pine
- Coating around 0.25mm

WE CUT TO YOUR DESIRED SIZE

Casing



Casing 3^{1/2}



Casing 3^{1/8}

Casing 2^{3/4}



Casing
Tudor



Casing
Side Step



Casing
Step Bevel



Casing
Back Band



Cosmopolitan
Casing

Type	Width (in)	Height (in)	Length (in)
Colonial Casing	1/2	2 ^{3/4}	90, 168
Colonial Casing	5/8 & 3/4	3 ^{1/2}	90, 192
Colonial Casing	5/8	3 ^{1/8}	192
Casing Tudor	3/4	3 ^{1/2}	192
Casing Step Bevel	3/4	3 ^{1/2}	90, 192
Casing Step Bevel	3/4	2 ^{3/4}	192
Casing Back Band	7/8	3 ^{3/8}	192
Casing Side Step	3/4	3 ^{1/2}	192
Casing Cosmpolitan	3/4	3 ^{1/2}	192

Casing (MDF)



Casing 3¹/₂



Casing 2³/₄




Casing
Step Bevel

NOTE

Starting June 1st 2025 all MDF casing is a special order


Type	Width (in)	Height (in)	Length (in)
Colonial Casing	5/8	2 ³ / ₄	168
Colonial Casing	3/4	3 ¹ / ₂	168
Casing Step Bevel (coming soon)	3/4	3 ¹ / ₂	168

Extensions / Jambs



Type	Width (in)	Height (in)	Length (in)
Extension/Flat casing	$2\frac{3}{32}$	$1\frac{5}{8}$	192
Extension/Flat casing	$2\frac{3}{32}$	$2\frac{3}{8}$	192
Extension/Flat casing	$2\frac{3}{32}$	$3\frac{1}{2}$	84, 96
Extension/Flat casing	$2\frac{3}{32}$	$3\frac{1}{2}$	192
Extension/Flat casing	$2\frac{3}{32}$	$4\frac{5}{8}$	192
Extension/Flat casing	$\frac{3}{4}$	$4\frac{5}{8}$	192
Extension/Flat casing	$\frac{3}{4}$	$5\frac{1}{2}$	192
Extension/Flat casing	$\frac{3}{4}$	$7\frac{1}{4}$	192
Extension/Flat casing	$\frac{3}{4}$	$9\frac{1}{4}$	192

Extension V-Groove



Type	Width (in)	Height (in)	Length (in)
Extension Groove	$\frac{3}{4}$	$1\frac{3}{8}$	192
Extension Groove	$\frac{3}{4}$	$2\frac{3}{8}$	192
Extension Groove	$\frac{3}{4}$	$3\frac{3}{8}$	192
Extension Groove	$\frac{3}{4}$	$4\frac{5}{8}$	192
Extension Groove*	$\frac{3}{4}$	$7\frac{1}{2}$	192
Extension Groove*	$\frac{3}{4}$	$9\frac{1}{2}$	192

* - Special Order

Extension WindowSill



Type	Width (in)	Height (in)	Length (in)
Extension Groove	$\frac{3}{4}$	$3\frac{3}{8}$	192
Extension Groove	$\frac{3}{4}$	$4\frac{5}{8}$	192
Extension Groove*	$\frac{3}{4}$	$7\frac{1}{2}$	192

* - Special Order

Small Mouldings



Type	Width (in)	Height (in)	Length (in)
Cove	$\frac{3}{4}$	$\frac{3}{4}$	144
Cove 7ft	$\frac{3}{4}$	$\frac{3}{4}$	144
Quarter Round	$\frac{3}{4}$	$\frac{3}{4}$	84
Quarter Round 7ft	$\frac{3}{4}$	$\frac{3}{4}$	84
Shoe Base 7ft	$\frac{3}{4}$	$\frac{1}{2}$	84
Door Stopper	$\frac{1}{2}$	$1\frac{1}{4}$	144
Step Bevel Door Stopper	$\frac{3}{4}$	$1\frac{1}{4}$	144
Back Band	$\frac{3}{4}$	$1\frac{1}{4}$	180
Modern Back Back	$\frac{3}{4}$	$1\frac{5}{16}$	180

FLEX Moulding



Cove Moulding

Quarter Round



Jamb Extension



Casing
Colonial
3¹/₈ & 3 1/2



Casing
Step Bevel



Casing
Back Band

Type	Width (in)	Height (in)	Length (in)
Cove	3/4	3/4	144
Quarter Round	3/4	3/4	144
SPECIAL ORDER (requires template)			
Colonial Casing	Matching our casing profiles		Any size up to 12ft
Casing Step Bevel			
Casing Back Band			
Flat Extension			

Natural Wood casing



Colonial
Casing



Casing
Step Bevel

Natural wood casing (poplar species)

Type	Width (in)	Height (in)	Length (in)
Step Bevel Casing	$\frac{3}{4}$	$2\frac{5}{8}$	different
Step Bevel Casing	$\frac{3}{4}$	$3\frac{1}{2}$	different
Colonial Casing	$\frac{3}{4}$	$2\frac{5}{8}$	different
Colonial Casing	$\frac{3}{4}$	$3\frac{1}{2}$	different

Plywood(Birch)



Available in: - 3/4 in - 10 ft
- 3/4 in - 8 ft
- 3/8 in - 8 ft

Every piece meets the highest grading standards for strength and appearance. It adds proven performance and durability to new homes, room additions and renovations. Plywood delivers outstanding stiffness, strength and versatility.

- Birch Wood
- Sanded both sides
- High quality solid face
- Ideal for interior and exterior applications such as staircases, tabletops, countertops, cabinets, furniture, windows, etc.

Paints, Sealants and PU Foams

TREMCO PRODUCTS



If you are looking for any product from Tremco Product line please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- fill out our contact form on our website: www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Bulk amounts discounts available

TremPro 830+ Sealant



Available in: - 300 ml Tube (different colors)
- 600 ml Sausage (white/black)

REMPRO® 830+ is a one-part, thermoplastic elastomer that provides a high-performance, flexible seal in glazing and siding applications.

- VOC Compliant
- ASTM C920 certified
- Self-tooling
- Adheres to wet/damp surfaces
- Applies at temperatures as low as 20 °F (-7 °C)
- Extremely flexible – crack proof
- Waterproof & weatherproof
- Paintable after cure
- Excellent UV stability
- For exterior applications

TremPro 830+ Sealant

TRANSLUCENT	CLEAR	WHITE	WOLF WHITE	POLAR WHITE	ARCTIC WHITE	ARCTIC WHITE J	LINEN	IVORY
IVORY K	MATCHCOAT S.W.	WICKER	CASHMERE	COBBLESTONE	BISQUE	MOCHA	NAVAJO BEIGE	SANDALWOOD
SANDALWOOD G	SANDALWOOD K	KAKI	CLAY	PRESTIGE BEIGE	BEIGE	BUFF	SAND XL	SIERRA
COLONIAL RED	COUNTRYLANE RED	RUSTIC SIERRA	REDWOOD TAN	TRUE 250	RED FOX	FOREST GREEN K	BOOTHBAY BLUE	EVENING BLUE
TRUE 260	MARINE DUSK	MIST GRAY	PEARL GRAY	SLATE GRAY	GRAYSTONE	LIGHT MIST	DOVER GREY	PEARL GREY

TremPro 830+ Sealant



LITTORAL



CHESAPEAKE
GREY



GRAY SLATE



TIMBERWOLF



NIGHT GREY



BARNWOOD



CHARCOAL K



TIMBERTONE



TIMBERBARK



AGED PEWTER



STORM



ACADIA



SABLE CACTUS



RIVER ROCK



PEBBLE



MONTEREY
TAUPE



KHAKI BROWN



FALAISE



MOUNTAIN SAGE



SABLE



RUSTIC GRANITE



BRONZE K



BROWN



DARK BROWN



CHOCOLATE BROWN



GRANITE XL



IRON GREY

[No Title]



ESPRESSO



DEEP OCEAN



IRON STONE



BARISTA



WALNUT



CHESTNUT



COMMERCIAL
BROWN



ANTIQUE BROWN



IRON ORE



BRONZE



MIDNIGHT BLACK



BLACK

Tremco Tremflex 834



Available in: - 300 ml Tube (white)
- 600 ml Sausage (white)

Tremflex® 834 is a pure acrylic latex sealant formulated to provide a fast-setting pliable seal with minimal shrinkage.

- Tremflex 834 can be used for general purpose interior and exterior caulking and as a back bedding glazing compound.
- It is also highly recommended as an acoustical seal in the construction of interior walls, ceilings and floors.
- It is suitable for use on vinyl, aluminum and wood siding as well as on bathroom and kitchen fixtures.

Tremco Tremglaze

Available in: - 300 ml Tube (different colors)

Tremco® Tremglaze S1400 is a high-performance, single-component, neutral-cure, medium-modulus silicone sealant.

- TremGlaze S1400 is specifically designed to achieve a watertight seal as a general perimeter caulking sealant of windows, doors and frames, and within wood, brick, vinyl, and other residential installations substrates.



Tremglaze S1400 Sealant

STANDARD COLORS



SPECIAL COLORS*



Tremco Tremsil 200



Available in: - 300 ml Tube
- 600 ml Sausage

Tremsil 200 Acetoxy silicone sealant

- Tremsil 200 produces a weathertight seal to glass, metal, porcelain, ceramic and most painted surfaces.
- Tremsil 200 sealant is suitable for use in kitchens, bathrooms and spas.

STANDARD COLORS



WHITE
300C



GRAY
300C



ALUMINUM
300C



IVORY
300C



DARK BRONZE
300C



BLACK
300C



CLEAR
300C

Tremco Tremsil 400



Available in: - 300 ml Tube
- 600 ml Sausage

Tremsil 400 Neutral-Cure Silicone Sealant

- Tremsil 400 is specifically designed to achieve a watertight seal in expansion joints, and for general perimeter caulking of windows, doors and frames, precast and tilt-up panels.

STANDARD COLORS



ANODIZED ALUMINUM



BLACK



BRONZE



BUILDERS STONE



GEOGRAPHIC BEIGE



LIGHT BRONZE



LIMESTONE



OFFWHITE



RESIDENTIAL SANDALWOOD



WHITE



T400 CHARCOAL



T400 GRAY



T400 INDEPENDENCE GRAY



T400 MEDIUM GRAY

Tremco Tremsil 600

Available in: - 300 ml Tube
- 600 ml Sausage



Tremsil 600 Neutral-Cure Silicone Sealant

- Tremsil® 600 is a single-component, neutral-cure silicone sealant that cures to a flexible rubber when exposed to moisture present in the air.
- Tremsil 600 is a fast-skinning, medium-modulus sealant designed for use in in-plant glazing applications.

STANDARD COLORS



WHITE
300C/600S/5P*/55D



ANODIZED ALUMINUM
300C/600S



BLACK
300C/600S*/5P/55D



CLEAR
300C/600S/5P*/55D*

Dymonic 100



Available in: - 300 ml Tube
- 600 ml Sausage

Dymonic 100 is High-Performance, High-Movement Single-Component, Polyurethane Sealant

- Dymonic 100 is a durable, flexible sealant that offers excellent performance in moving joints and exhibits tenacious adhesion once fully cured.
- Dymonic 100 is also an excellent choice as a fluid applied flashing material in rough opening perimeters for fenestration/window, door and curtain wall applications.

STANDARD COLORS



ALMOND



IVORY



ALUMINUM STONE



LIGHT BRONZE



ANODIZED ALUMINUM



LIMESTONE



BEIGE



NATURAL CLAY




BLACK



OFF WHITE



BRONZE



PRECAST WHITE



BUFF



REDWOOD TAN



DARK BRONZE



SANDALWOOD



GRAY



STONE



GRAY STONE



WHITE



HARTFORD GREEN

Dymonic FC



Available in: - 300 ml Tube
- 600 ml Sausage

Dymonic FC is High-Performance, Fast-Curing, Single-Component, Hybrid Sealant

- Dymonic FC is a durable, flexible, sealant that offers excellent performance in moving joints and exhibits tenacious adhesion once fully cured.
- Typical applications for Dymonic FC include expansion and control joints, precast concrete panel joints, perimeter caulking (windows, door, panels), EIFS, aluminum, masonry and vinyl siding.

STANDARD COLORS



PRECAST WHITE



ANODIZED ALUMINUM



IVORY



OFF WHITE



ALMOND



STONE



LIMESTONE



GRAY



NATURAL CLAY



BUFF



ALUMINUM STONE



BEIGE



LIGHT BRONZE



REDWOOD TAN



HARTFORD GREEN




BRONZE



DARK BRONZE



BLACK



WHITE

TREMstop® Acrylic



- Available in:
- 300 ml Tube
 - 600 ml Sausage
 - 850 ml cartridges
 - 5 gal (17 L) pails

TREMstop® Acrylic is an Acrylic Latex Firestop Sealant

- TREMstop Acrylic is for use on metal pipe, plastic pipe, insulated pipe, cables, cable trays, ducts, static joints and dynamic joints in fire-rated concrete, wood floor/ceiling and gypsum wall assemblies.
- TREMstop Acrylic can also be used on acoustically rated assemblies.

TREMstop® Fyre-Sil



- Available in:
- 300 ml Tube
 - 600 ml Sausage
 - 850 ml cartridges
 - 5 gal (17 L) pails

**TREMstop® Acrylic is an Acrylic Latex Firestop Sealant
Come in Self Leveling or Gun Grade.**

- TREMstop Fyre-Sil is for use on metal pipe, plastic pipe, cables, cable trays, ducts and multiple through-penetrations as well as static joints and dynamic joints in concrete, wood floor/ceiling and gypsum wall assemblies and perimeter fire barrier joints.

Spectrem – all types



Available in: - 300 ml Tube
- 600 ml Sausage
- 55 gal (208 L) pails

Spectrem 1 - Single-Component, Moisture-Cure Silicone Sealant

Spectrem 2 - Single-Component, Neutral-Cure Silicone Sealant for 2-Sided Structural Glazing

Spectrem 3 - Single-Component, Non-Staining Sealant with Advanced Silicone Technology

Spectrem 4 TS - Multi-Component, Non-Staining Sealant with Advanced Silicone Technology

Vulkem – all types



Available in:

- 300 ml Tube
- 600 ml Sausage
- 5 gal (17 L) pails

Vulkem 116 - Textured, Single-Component Polyurethane Sealant

Vulkem® 45SSL is Semi-Self-Leveling, Single-Component, Polyurethane Sealant

STANDARD COLORS



WHITE
850C/2P/5P*



LIMESTONE
850C/2P/5P/55D*



GRAY
850C/2P/5P/55D*



BUFF
850C/2P*



BLACK
850C/5P*

SOUDAL PRODUCTS



If you are looking for any product from Soudal Product line please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- fill out our contact form on our website:
www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Bulk amounts discounts available

Silrub2 Silicone




Available in: - 300 ml Tube
- 600 ml Sausage

Soudal Silrub2 is a premium quality low modulus neutral cure 100% silicone sealant.

- Virtually odourless
- Very fast skinning time and final cure
- No shrinkage
- Thick formulation, excellent toolability
- Primerless adhesion
- Excellent adhesion to glass, plastics, masonry substrates, metals, and wood.
- High movement capability
- Resistant to UV, rain, snow, ozone & many chemicals
- High & low temperature resistance
- Independently tested to ISO 11600 F&G 25 LM

Silrub2 Colors



Soudacryl Flex



Available in: - 300 ml Tube

Soudacryl Flex is a high quality paintable acrylic latex designed for both interior and exterior use.

- 25-Year**
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- Excellent adhesion to wood, masonry, brick, concrete, drywall, & many more

Supra Expert Sealant



Available in: - 300 ml Tube
- See next page for color options

Supra Expert™ is a super-durable, thermoplastic architectural, one-component sealing compound that dries by solvent evaporation.

- Industrial
- First-quality thermoplastic rubber-based sealant
- For windows and siding
- Instant resistance to rain
- Super-flexible, super-adherent and super-durable
- Adheres to almost any surface
- Can stretch up to 1400% without breaking
- Bubble-free

Supra Expert Colors

 Clear	 White	 Cream	 Aluminum	 Cement Grey	 Bronze
 Dark Brown	 Black	 Translucent	 Glacier White	 Almond	 Rustic Cedar
 River Rock	 Wicker	 Sandalwood	 Tan	 Sand	 Yellowstone
 Cashmere	 Saddle Brown	 Buff	 Sierra	 Light Grey	 Sable
 Mist Grey	 Beige Clay	 Pebble	 Dark Drift	 Medium Bronze	 Storm
 Acadia	 Granite Grey	 Smoke	 Light Turquoise	 Bright Red	 Moss Green
 Brick Red	 Pine Green	 Dark Green	 Country Red	 Scotia Blue	 Burgundy
 Heron Blue	 Chocolate	 Blue Grey	 Chestnut Brown	 Midnight Blue	 Iron Ore
 Rockport Brown	 Hudson Slate				

DAP PRODUCTS



If you are looking for any product from DAP Product line please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- fill out our contact form on our website:
www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Bulk amounts discounts available

Alex Plus Sealant



Available in: - Individual
- Case of 12

A superior quality, all-purpose acrylic latex caulk plus silicone that is highly flexible, durable, and has excellent adhesion to create a long lasting waterproof seal.

- Paint ready in 30 minutes
- Strong multisurface adhesion
- Won't shine through or discolor paint
- 40 year warranty
- Cured caulk is mold & mildew resistant
- Easy water clean-up
- Low odor

Alex Fast Dry Sealant



Available in: - 162 mL

Fast drying and specifically formulated to meet the demanding needs of Professional Painters, delivering outstanding paint finish results.

- Paint ready in 20 minutes
- Won't shine through or discolor paint
- Resists cracking & chalking
- Reduced dirt pick-up
- 50 year warranty
- 100% waterproof seal
- Cured caulk is mold & mildew resistant
- Easy water clean-up
- Low odor
- Interior/exterior use

Wood Filler (DAP woodpro latex)



Available in: - 170g

DAP® WOODPRO® All Purpose Wood Filler is a high quality, latex-based wood filler formulated to create a surface and body that looks and acts like real wood. It can be used to repair cracks, gouges, holes and other surface defects on furniture, woodwork, moulding, cabinets, paneling, plywood, windows, doors and painted surfaces.

- Easy water clean up
- Won't shrink or crack
- Dries hard for strong nail and screw anchoring
- Interior & exterior use

Spackling (DAP DryDex)



Available in: - 237 ml

DryDex is a latex polymer spackle for repairing interior or exterior surfaces like drywall, plaster, wood, brick and stone.

DAP DryDex Spackling provides a unique dry time color indicator that verifies when the patched surface is dry and ready to be sanded and painted.

- Provides a smoother finished surface in a shortened amount of time.
- DAP DryDex Spackling may be used to fill holes and cracks in surfaces such as drywall, plaster, wood, brick and stone.
- Its ready-to-use formula spreads easily for fast, professional repairs that will not crack, crumble or flake.
- DryDex dries hard, sands easily and is paintable.
- Interior/exterior use.

DOW PRODUCTS



If you are looking for any product from DOW Product line please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- Fill out our contact form on our website: www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Bulk amounts discounts available

Dow Contractor Weatherproof Silicone Sealant



Available in: - 305, 600 mL

A one-part, moisture cure, medium modulus sealant that provides durable, flexible, watertight joints and offers outstanding unprimed adhesion to most non-porous substrates. It is specifically developed for sealing dynamically moving joints.

- Primerless on EIFS and most common nonporous building substrates, including glass and aluminum
- Balanced adhesive strength, medium modulus and high recovery
- Excellent all-weather gunnability and performance
- Extension/compression capability of ± 25 to ± 40 percent
- Choose from 20 standard colors, 19 special colors and custom colors, too
- 5 Year Weatherseal Limited Warranty

Dow Contractor Weatherproof Silicone Sealant

COLOR		CRT	SGE	2 GAL PAIL	4.5 GAL PAIL
	Aluminum	MTO	MTS	MTS	C/C
	Anodized Aluminum	MTS	MTS	C/C	C/C
	Antique White	MTS	MTS	C/C	C/C
	Black	MTS	MTS	MTO	C/C
	Bronze	MTS	MTS	MTS	C/C
	Buff	C/C	MTO	C/C	C/C
	Charcoal	MTS	MTS	C/C	C/C
	Geographic Beige	C/C	MTO	C/C	C/C
	Gray	MTS	MTS	MTO	C/C
	Ivory	C/C	MTO	C/C	C/C
	Light Bronze	C/C	MTS	C/C	C/C
	Limestone	MTO	MTS	MTS	C/C
	Mountain Fog	C/C	MTO	C/C	C/C
	Off White	MTO	MTS	C/C	C/C
	Precast White	MTS	MTO	MTS	C/C
	Redwood Tan	MTO	MTS	C/C	C/C
	Sandalwood	MTS	MTS	C/C	C/C
	Sandstone	MTS	MTS	MTS	C/C
	White	MTS	MTS	MTO	MTS
	Window Bronze	MTS	MTS	MTS	C/C

DOWSIL 795 Silicone Building Sealant


















Available in: - 305, 600 mL

A one-component, neutral-curing, medium modulus silicone sealant intended for weatherseal and structural applications with excellent adhesion to a wide range of materials, including glass, metal and aluminum.

- Highly resistant to weather, UV and temperature extremes
- One-part, medium-modulus neutral-cure adhesive/sealant silicone material
- Supports glass and other panel materials under high wind load
- Weatherproofs substrates such as glass, aluminum, steel, painted metal, EIFS, granite & other stone, concrete, brick, plastic
- Ready to use as supplied with all-temperature gunnability, easy tooling and low-odor curing

DOWSIL 795 Silicone Building Sealant

COLOR		CRT	SGE	2 GAL PAL	4.5 GAL PAIL	DRUM
	Adobe Tan	MTO	MTS	MTO	C/C	C/C
	Anodized Aluminum	MTS	MTS	MTO	C/C	C/C
	Black	MTS	MTS	MTO	MTO	MTO
	Blue Spruce	MTO	MTO	MTO	C/C	C/C
	Bronze	MTS	MTS	MTO	MTO	C/C
	Champagne	MTS	MTS	MTO	C/C	C/C
	Charcoal	MTS	MTS	MTO	MTO	C/C
	Dusty Rose	MTO	MTO	MTO	C/C	C/C
	Gray	MTS	MTS	MTO	MTO	MTO
	Ivy Green	MTO	MTO	C/C	C/C	C/C
	Limestone	MTS	MTS	MTO	MTO	C/C
	Natural Stone	MTS	MTS	MTO	C/C	C/C
	Rustic Brick	MTO	MTO	MTO	C/C	C/C
	Sandstone	MTS	MTS	MTO	C/C	C/C
	White	MTS	MTS	MTO	C/C	MTO

DOWSIL 1199 Silicone Glazing Sealant



Available in: - 305mL

A one-part, neutral-cure RTV sealant ideal for automated glazing systems. It offers outstanding adhesion which makes this product excellent for use as a back bedding sealant on sash, as well as cap, toe or heel bead applications. It is specially formulated to meet the demanding requirements as a back-bedding sealant for the high-speed manufacturing of windows and doors.

- Highly resistant to weather, UV and temperature extremes
- 18-month shelf life DOM
- Automated Glazing system usage
- Back bedding sealant on sash, as well as cap, toe, or heel bead applications
- AAMA Certified

DOWSIL 1199 Silicone Glazing Sealant

Color Scheme is available upon request.

Beige

Black

Blue White

Bronze

Clear

Custom

Forest Green

Grey

Light Bronze

Sandbeige

White

Soudafoam Door & Window



Available in: - 750 ml Canister

Professional moisture-curing polyurethane foam. Soudafoam Door & Window is a minimal expansion, one component, moisture curing PU foam. It is best used for window and door installations, wall panel insulation, electrical outlets, pipes, and vents.

- Minimal expansion.
- Easy application
- Excellent thermal and acoustical insulation
- No shrinkage
- AAMA compliant

Soudafoam All Season



Available in: - 750 ml Canister

Professional moisture-curing polyurethane foam that insulates, seals, sound-deadens and bonds various building materials together for **cold weather application**. Soudafoam All Season is a top of the line, minimal expansion, one component, moisture curing PU foam for use in extreme climates.

- Extreme weather formulation
- Easy application
- Excellent thermal and acoustical insulation
- Minimal expansion
- Retains performance in low humidity environments.

Tremco ExoAir® LEF Polyurethane Foam



Available in: - 750 ml Canister

ExoAir® LEF is a single-component, CFC-free, all-season, high performance, gun-grade polyurethane foam that performs as a thermal barrier. ExoAir LEF is part of the Tremco T3 building envelope transition toolbox.

- Single-component polyurethane foam with a (H)CFC-free propellant.
- Low Pressure Build.
- High yield versus existing polyurethane foams.
- Low water absorption.
- Quick tack-free time.
- Excellent properties at low ambient temperatures.

Tremco ExoAir® FLEX Polyurethane Foam



Available in: - 750 ml Canister

ExoAir® Flex is a single-component, high performance, gun-grade polyurethane flexible foam that performs as a thermal barrier. With an industry leading movement range of +/-15% (Movement Accommodation Factor of 30%), ExoAir Flex, part of the T3 Building Solutions System, protects against thermal expansion and contraction. ExoAir Flex is CFC-free and can be applied over a wide temperature range, making it a reliable, fourseason solution.

- Single-component polyurethane foam with a(H)CFC-free propellant.
- High yield versus existing polyurethane foams.
- Low water absorption.
- Quick tack-free time
- Excellent properties at low ambient temperatures.

Hilti Polyurethane Foam CF-I XTW



Available in: - 777 ml Canister

Hilti CF-I XTW is a filler foam can for use around window and door frames. It is extreme-weather insulating foam ideal for sealing door and window joints throughout the year.

- Seal and insulation of water pipeline, sewage, etc.
- Gluing and insulation of wall panels, corrugated sheets, tiles, etc.
- Insulation of window and door frames
- Insulating of wall panels, roof tiles
- Connection and sealing of finished prefabricated wooden elements in frame construction;
- More reliable over a wide temperature range
- Precise dispensing and volumetric control

Tremco Polyurethane Foam Cleaner



Available in: - 500 ml Canister

Tremco® Polyurethane Foam Cleaner is a multi-purpose cleaning agent used to dissolve uncured or fresh polyurethane foam, formulated without the use of any ozone-depleting materials. The product is uniquely designed for cleaning of the one-component professional dispensing units, and for general cleaning purposes such as tools, work surfaces, etc.

- Pre-pressurized in an aerosol spray can
- Can be fitted directly to a PU foam gun, or used as a handheld aerosol can
- Dispenses in the upright or inverted position
- Evaporates quickly

Polyurethane Foam Cleaner Hard



Available in: - 500 ml Canister

PROFFLEX HARD hardened polyurethane foam cleaner is a unique aerosol cleaner designed to remove hardened polyurethane foam residues from various surfaces, clothing and shoes. The product softens the hardened foam, which allows it to be removed from the surface.

- Removing hardened polyurethane foam from various surfaces, clothing and tools;
- Removal of old paint
- Cleaning of surfaces (including porous ones) from oil contamination.

Polyurethane Foam Cleaner



Available in: - 500 ml Canister

The PROFFLEX polyurethane foam cleaner is used to remove uncured polyurethane foam from window and door assemblies, frames, openings, slopes, clothing, as well as for washing assembly guns.

- Effectively dissolves uncured polyurethane foam
- Degreases surfaces
- Does not contain substances hazardous to ozone layer

Acetone Solvable



Available in: - 946 mL
- 3.78 L (1gal)

Solvable Professional Grade Acetone is an effective solvent that is excellent for dissolving two part epoxies before they set, for cleaning fiberglass repair tools and for thinning fiberglass resins. It removes the sticky residue and cleans lacquer application tools.

- Thins fiberglass resin & removes adhesives
- Dissolves two-part epoxies
- Cleans tools used for epoxies & lacquers

Paint Thinner



Available in: - 3.78 L (1gal)

SOLVABLE® Paint Thinner is a VOC-compliant formula designed to help you power through your toughest paint prep and cleanup jobs.

- Cleans paint tools and splatters
- Removing tough residues like tree sap, glue, and wax.
- Thins oil-based paints, stains, and varnishes
- VOC-compliant formula

Gentek Spray Paint



Available in: - Regular and Big canisters
- See next page for color options

Gentek spray paint is the perfect option to fix blemishes on the *Gentek's* wide array of aluminum colors.

- Industrial
- For use on aluminum and other other surfaces
- Perfect color-match to Gentek colors
- Not commercially available*

Gentek Spray Paint



Black



Iron Ore



Chestnut
Brown



Antique
Brown



Commercial
Brown



Old World
Blue



Sandalwood



White




Bright Red

Building Materials

Board & Batten Siding



BOARD & BATTEN
Ultra-Premium Vertical Vinyl Siding



7" Vertical Board & Batten
1/2" Batten Height (12.7)
1-1/2" Batten Width (38.1)
7" Exposure per Panel (178.5)
10' Lengths (3048)

Packaging:

17 pcs. per ctn.
1 sq. per ctn. (9.2 m²)
Ship. wt: 50 lb (23 kg)

Available in: - vinyl

Board & Batten unique vertical profile design marries historical appeal with modern practicality.


- Extra-Heavy Wall Thickness
- Design Versatility
- Light Roughsawn Emboss

NOTE: Not all styles and types are available with every color.

Sequoia Select Siding



**12" T-4
Solid Soffit/
Vertical Siding**



12" Exposure per Panel (304.8)
12' Length (3658)
.044" Nominal Thickness
3/4" Nominal Panel Projection
Matte Texture

Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

Available in: - vinyl


**Exquisite style, exceptional strength -
that's the hallmark of Sequoia
Select ultra-premium vinyl siding**

- Extra-Heavy Wall Thickness 0.046"
- Full-Roll Nailing Hem
- Exclusive Advantage Lock System
- Hurricane-Velocity Wind Resistance

**NOTE: Not all styles and types are available
with every color.**

Oxford Premium Siding

10" D-5 Solid Soffit/ Vertical Siding



10" Exposure per Panel (254)
10' Length (3048)
.042" Nominal Thickness
1/2" Nominal Panel Projection
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Available in: - vinyl

**Exquisite style, exceptional strength -
that's the hallmark of Sequoia
Select ultra-premium vinyl siding**

- Extra-Heavy Wall Thickness 0.044"
- Full-Roll Nailing Hem
- Exclusive Advantage Lock System
- Hurricane-Velocity Wind Resistance

**NOTE: Not all styles and types are available
with every color.**

STANDARD COLORS

Snow White	Monterey Sand	Pearl
Linen	Wicker	Dover Gray
Sandstone	Canyon Clay	Sage
Maize	Pebble	Juniper Grove
Almond		

DESIGNER COLORS

Majestic Brick	Meadow Fern	Storm
Dark Drift	Moonlit Moss	Chesapeake Gray
Rockport Brown	Harbor Bay	Hudson Slate
Espresso	Coastal Blue	Windswept Smoke
Musket Brown (soffit only)	Midnight Surf	Iron Ore
Smoked Timber	Marine Dusk	Black (soffit only)

Aluminum Siding

DELUXE™

A L U M I N U M S I D I N G


Available in: - aluminum

**Exquisite style, exceptional strength -
that's the hallmark of Sequoia
Select ultra-premium vinyl siding**

- Performance Engineered
- Added Dimension
- Heavy-Duty Construction
- Popular Smooth Emboss

**NOTE: Not all styles and types are available
with every color.**

Aluminum Siding




Double 4" Clapboard

1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)

Packaging:

24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 65.39 lb (29.66 kg)




8" Vertical Board & Batten

8" Exposure per Panel
(203.2)
10' Lengths (3048)

Packaging:

15 pcs. per ctn.
1 sq. per ctn. (9.29 m²)
Ship. wt: 35.6 lb (16.15 kg)





8" Horizontal

1/2" Butt (12.7)
8" Exposure per Panel
(203.2)
12'6" Lengths (3810)

Packaging:

24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 75.55 lb (34.27 kg)



Vertical "V"

7-1/4" Exposure per Panel
(184.2)
9'7-3/8" Lengths (2930)

Packaging:

17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)
Ship. wt: 30.95 lb (14.04 kg)

Note: Also available in a heavy-gauge profile.

STANDARD COLORS

			
Bright White	Ice White	Sandstone	Cashmere
			
Almond	Maize	Wicker	Canyon Clay
			
Pebble	Tan	Sandalwood	Sable
			
Dover Gray	Slate	Forest Green	Chestnut Brown
			
Commercial Brown	Black		










Accessories

Available in: - vinyl and aluminum, multiple colors and sizes

- A Vinyl or Aluminum J-channels
- Outside Corner Posts
- Inside Corner Posts
- Easy Start Starter Strip
- Bay & Bow Outside Corner Post
- Window and Door Surround

Different sizes and colors from multiple vendors.

Accessories



SIDING and ACCESSORIES

If you are looking for any product from siding product lines please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- Fill out our contact form on our website:
www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Not all models are available in all colors

FlatStock Aluminum (Gentek)



Available in: - 98.5 ft coils or by foot

See color options on next page

Easy to shape, form, cut, and fasten. Used to create decorative trim accents and other design elements. It is designed to cover and protect hard to maintain areas of the home's exterior. Covering rake boards, fascia boards, trim around windows, corner trimming are a few of the many uses.

- Lightweight aluminum design is easy to handle
- High quality construction protects against rusting
- Coating technology stands up to even the most extreme weather conditions
- Designed for use around windows

FlatStock Aluminum

Bright White	Rockport Brown	Midnight Surf	Canyon Clay	Windswept Smoke	Nutmeg	Sable
Rainware White	Smoked Timber	Coastal Blue	Pebble	Sage	Chestnut Brown	
Ice White	Metallic Gray	Old World Blue	Sandalwood	Meadow Fern	Commercial Brown	
Sandstone	Dover Gray	Marine Dusk	Monterey Sand	Moonlit Moss	Antique Brown	
Cashmere	Storm	AluCopper	Lambeth Beige	Ivy Green	Espresso	
Almond	Slate	Bright Red	Tan	Forest Green	Graphite	
Maize	Chesapeake Gray	Burgundy	Brownstone	Rockwell Blue	Iron Ore	
Wicker	Hudson Slate	Majestic Brick	Dark Drift	Wedgewood Blue	Black	

FlatStock Light Gauge (Gentek)



NOT AVAILABLE AT THIS TIME

Available in: - 98.5 ft coils or by foot

See color options on next page

Easy to shape, form, cut, and fasten. Used to create decorative trim accents and other design elements. It is designed to cover and protect hard to maintain areas of the home's exterior. Covering rake boards, fascia boards, trim around windows, corner trimming are a few of the many uses.

- Lightweight aluminum design is easy to handle
- High quality construction protects against rusting
- Coating technology stands up to even the most extreme weather conditions
- Designed for use around windows

FlatStock Light Gauge (Gentek)



FlatStock Aluminum (Our Brand)







Available in: - 100 ft coils

See color options on next page

Easy to shape, form, cut, and fasten. Used to create decorative trim accents and other design elements. It is designed to cover and protect hard to maintain areas of the home's exterior. Covering rake boards, fascia boards, trim around windows, corner trimming are a few of the many uses.

- Lightweight aluminum design is easy to handle
- High quality construction protects against rusting
- Coating technology stands up to even the most extreme weather conditions
- Designed for use around windows

FlatStock Aluminum (Our Brand)



Lintel



Available in: - 3.5in x 3.5in

Steel Angle Iron is a flat metal rod that has been folded to a 90-degree angle along its length, resulting in an L-shape. Heavier angle iron is often a structural element in buildings and bridges, while a lighter version is used for a variety of supports.

WE CUT TO YOUR DESIRED SIZE

Hardware

Brad Nails 18 GA



Available in: - 32mm
- 50mm

18-gauge nails for use with nail gun.

- Galvanized steel increases resistance to rusting
- Strong and long lasting
- Equipped with a chisel point

Brad Nails 16 GA

Available in: - 64mm

16-gauge nails for use with nail gun.

- Galvanized steel increases resistance to rusting
- Strong and long lasting
- Equipped with a chisel point

Screw Flat



Type	Length (in)	Quantity	Thread Type	Head Size	Socket
Flat #2 Type 17 w/ Nibs	2 1/2	500 pcs	N/A	# 8	Square
Flat #2 Type 17 w/ Nibs	3	500 pcs	N/A	# 8	Square
Flat #2 Type 17 w/ Nibs	3 1/2	500 pcs	N/A	# 8	Square
Flat #2 Type 17 w/ Nibs	4	500 pcs	N/A	# 8	Square
Flat Coarse Thread Type 17	5/8	1000 pcs	Coarse	# 8	Square

Screw Flat and Pan type "a"



Type	Length (in)	Quantity	Thread Type	Head Size	Socket
Flat "a"	3	500 pcs	N/A	# 10	Phillips
Flat "a"	4	500 pcs	N/A	# 10	Phillips
Pan "a"	3	500 pcs	N/A	# 10	Square
Pan "a"	4	500 pcs	N/A	# 10	Square
Pan "a"	3	500 pcs	N/A	# 8	Square

Screw Pan



Type	Length (in)	Quantity	Thread Type	Head Size	Socket
Screw Pan Type 17	5/8	1000 pcs	Coarse	# 6	Square
Screw Pan	3/4	1000 pcs	Self Drill	#10	Square
Screw Pan	3/4	1000 pcs	Type S	#8	Square

Available in:

- Pearl, Tan, Antique Brown, Forest Green, Canyon Clay, Nutmeg, Sandalwood, Cream, Zinc, Iron Ore, Commercial Brown, White, Black, and Chestnut Brown

Screw Round



Type	Length (in)	Quantity	Head Size	Socket
Screw Round Type 17	2 1/2	500 pcs	# 8	Square
Screw Round Type 17	3	500 pcs	# 8	Square
Screw Round Type 17	3 1/2	500 pcs	# 8	Square
Screw Round Type 17	4	500 pcs	# 8	Square

Hand Tools

Caulking/Sausage Gun



- Available Variants:
- Tube Extruder
 - Heavy Duty Tube Extruder
 - Sausage Extruder

Caulking guns designed for use with 300ml tubes and 600ml sausages of caulking

Tube Extruder:

- Professional quality
- Strong nylon and steel construction
- Sensitive and accurate trigger

Sausages Extruder:

- Professional quality
- Aluminum and steel construction
- 1.5 mm thickness tube with and oxide finish

Special Foam Injection Gun

HILTI



Polyurethane injection gun designed for use with foam cartridges.

Hilti Foam gun: Extended barrel foam dispenser with ergonomic design ideal for accessing difficult-to-reach areas



TREMCO

Tremco Foam gun:

- Highly cost-effective
- Standard screw thread design for bead size adjustment and flow control

SOULDAL



Soudal Foam gun:

- Plastic handle with metal barrel
- Lightweight yet durable
- Excellent value

Foam Injection Gun



Teflon
Coating



Zinc
Body



Long
Nozzle

Available in:

- Aluminum Body
- Zinc Body
- Fully **Teflon** Coated Body

Polyurethane injection gun designed for use with foam cartridges.

- Steel needle construction
- Precise trigger mechanism allow for the minute adjustments in foam flow
- Creates and air- and moisture- tight seal between the gun and the can
- Lightweight design provides greater comfort

Suction Cups



Available in:

- Double cups
- Triple Cups
- Vacuum Suction Cup

Product	Level lifting load capacity	Vertical lifting load capacity
Double cup	100 kg	145 kg
Triple cup	80 kg	105 kg
Vacuum cup	220 kg	200 kg

- Great for lifting glass, pulling dents, adjusting laminate floors, handling glasses, sheet metal material, window, granite, mirror, plank flooring and any clean non-porous surface

Snippers (Malco brand)



Available in: - MV12
- MC12NG

MV12 :

- Strong aluminum frame with comfortable vinyl grips.
- Big 3-inch (76 mm) high carbon steel blades with a knife-like edge.
- Makes precise left or right circular cuts to 6-inch (15 cm) diameter and fast straight cuts.
- Cuts thick or layered vinyl and a variety of other flexible non-ferrous materials.

MC12NG:

- Larger Handle Loops
- Sleek Head Design Improves Maneuverability
- Full 3" (76.2 mm) Cutting Length - 12"
- Pressure-fit Inset Blades

Measuring Tape



Available in: - 5m/16ft

Strong PVC body measuring tape designed to withstand drops, bangs etc.

- Pull and press to lock design for easy use and measurement
- Wrist strap and belt clip for convenience
- Dual measurement system(metric/imperial)

Utility Knife



Available in: - 25mm blade

From cutting carpet and stenciling to opening packages, this snap blade utility knife is the ideal cutting tool. The utility knife has an easy snap-off blade to provide a new cutting edge as needed. Two spare blades come stored in the handle.

- Heavy duty composite and steel construction
- Ergonomic rubberized hand grip
- Designed for professional uses on construction sites and in warehouses

Chisels



Available in: - 1 inch
- ¾ inch
- ½ inch

These wood chisels are designed with the professional in mind. The handle is ergonomically constructed for comfort, with a durable metal cap for striking and driving the chisel blade. The carbon steel blade is tempered and hardened to ensure a long-lasting edge and lacquered to protect against corrosion.

- Polished Hardened blade
- Ergonomically Designed
- Tempered High-Chrome Carbon Alloy Steel Blade for Edge retention

Soft Face Mallet



Available with: - rubber and plastic heads

The soft face rubber mallet has two replaceable faces, one made of soft rubber and the other of high density plastic. The rugged chrome-plated head and tubular steel shaft are designed to stand up to heavy usage. This lightweight rubber mallet is non-sparking and features a molded cushion grip for comfort and shock absorption.

- Nonmarring faces - rubber and high density plastic
- Rugged chrome-plated head and tubular steel shaft
- Molded cushion grip

Pry Bar Set

Available in: - 3 piece set



Durable enough for daily use, with a comfortable ergonomic rubber grip, these pry bars are ideal for most prying and lifting jobs. Constructed of heat-treated carbon steel with a powder coated enamel finish, the pry bars feature full-length, carbon steel shafts for added strength.

- Heavy duty pry bar for any prying or lifting job
- Heat treated carbon steel construction
- Powder coated enamel finish
- Ergonomic rubber grip

Residential Hinge Adjuster



Available in: - Regular

These hinge adjustment tools allow you to fix bent or stressed hinges so the door closes properly, usually called "closing the swedging of a hinge" or "closing the gap." This hinge adjuster is made for standard size hinges. This tool is designed to fit over the hinge knuckle and allows the hinge to be bent exactly in the crease, leaving no marks or scratches on the hinges. This tool is the solution to sticking and sagging residential doors.

- Made in USA
- Solid steel with tooled handle for a firm grip

ARICHARD PRODUCTS



If you are looking for any product from ARichards Product lines please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- Fill out our contact form on our website:
www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Bulk amounts discounts available

105

Lever scraper



Available in: - 7.5 in
- 10 in

- High carbon tempered steel Lever bar-Scraper is 0,1" thick
- Combination tool features one chisel end, one bent end and a nail-puller
- Scrapes paint, smoothes wood, removes baseboards and nails.

9 in 1 Combination tool



Available in: - 2.88" x 8.75"

- Ergonomic design that reduces muscle fatigue and strain by eliminating pressure points when scraping and taping
- Soft rubber-like material Santoprene maximizes grip, cleans easily and is resistant to solvents
- High-carbon die-cast steelhead with a maximum flat hammerhead surface and a perfect radius that helps to correctly set nail heads
- Full tang blade, perfectly ground, ensures optimum flexibility and even distribution of compounds

Folding Multitool



Available in: black color

This Folding Painters Tool holds a 5-In-1 Multi Painters Tool that conveniently folds and safely locks closed when not in use.

- Cleans rollers
- Open paint cans
- Spreads compound
- Scrapes
- Cleans out cracks

Ergonomic razor scraper



Available in: plastic blade

Ergonomic rubberized contour

The ergonomically designed rubberized contour maximizes grip and comfort

Unique 3 position blade loading system locks blade in place during scraping

Caulking Aid tool

Available in: red color

Multi-purpose tool that allows anyone to remove and replace old caulk with a single tool and a minimum of effort. The Caulk Aid is designed to do the entire recaulking job and assure a professional finish.

- High-impact blades shave old caulk clean from tile or windows.
- Sharp point digs out caulk from corners.
- Tube cutter opens new caulk tube.
- Padded end smooths new bead for a professional finish.



Utility Knife Set



Available in: - 18 mm
- 25 mm

- Comfortable, symmetrical handle design with anti-slip rubber inset
- Durable, high-impact ABS plastic handle
- The Black blade cutting edge lasts longer than any other blades on the market

Hand Tools Accessories

Sausage Gun Nozzles




Available in: - 0, 3/8, 1/4, 1/2 in.
- Gasket, Angled

Single use plastic nozzle for sausage caulking guns

- Creates a uniform flow of caulking
- Generally used for one application and discarded
- Durable plastic resists splits and cracks
- 2-1/4 in. base outer diameter
- 1-1/3 in. base inner diameter

Utility Knife Blades



Available in: - 25mm (10pcs)
- 18mm (10pcs)

Blades made with professional grinding, high-quality, sharp and durable SK2 carbon steel, professional V-shaped die tangent

- Great for use on plywood, wood, wallpaper, corrugated paper, film, acrylic board, gypsum board, carpet, density board, fiber
- Long lasting edge
- Easy snap off

Power Tools

HILTI PRODUCTS



If you are looking for any product from Hilti Product lines please:

- email us at info@buildingstore.ca
- call us at 289-807-1065 or 437-703-3003
- Fill out our contact form on our website: www.cranco.ca

We will get back to you with pricing and availability in less than 24 hours

Bulk amounts discounts available

116

Power Tools



Rotary Hammers
SDS-Plus



Rotary Hammers
SDS-Max



Demolition
Hammers &
Breakers



Drill Drivers & Screw
Drivers



Impact Drivers &
Wrenches



Grinders &
Sanders



Cut-off Saws



Saws



Diamond Cutting
& Slitting Tools



Diamond Coring
Machines



Diamond Wire &
Wall Saws



Hydraulic Pipe Press
Tools



Hydraulic Cutters
& Crimpers



Vacuum Cleaners
& Dust
Management



Dispensers



Jobsite Lights &
Radios

Cordless Tools



Cordless
Specialty Tools



Cordless Rotary
Hammers SDS-
Plus



Cordless Rotary
Hammers SDS-
Max



Cordless Demolition
Hammers



Cordless Drill
Drivers & Screw
Drivers



Cordless Impact
Drivers &
Wrenches



Cordless Shears,
Nibblers and
Cutters



Cordless Grinders



Cordless
Fastening Tools



Cordless
Hydraulic Pipe
Press Tools



Cordless
Hydraulic Cutters
& Crimpers



Cordless Measuring
Tools



Cordless
Dispensers



Cordless
Vacuums & Dust
Management



Cordless Jobsite
Lights & Radios



Cordless Tool
Batteries & Chargers



Battery Cut-Off
Saws



Cordless Combo
Kits



Accessories for
Shears, Nibblers
and Cutters

Power Tool Accessories

Reciprocating Saw Blade



- Available in:
- For Wood with Metal 9in
 - For Wood with Metal 12in
 - For Metal 9in
 - Carbide Tipped

Heavy duty Bi-Metal construction

Wood with metal blade great for:

- Wood with nails/metal
- Chipboards
- Plastics/fiberglass
- Wall cutouts

Metal blade great for:

- Cutting metal FAST

Circular Saw Disks (Cranko)




Available in:

- 4 1/2 in
- 7 1/4 in (40T, 80 T, wood)
- 10 in (40T, wood)

- Ultimate circular saw blade for straight, faster cutting
 - 24-30 tooth blades ideal for fast, rough ripping
 - 40-80 tooth carbide-tipped (TCT) blades preferred for smooth, clean crosscuts on plywood or trim

Oscillating Multitool Blade



Available in:

- 34x50mm – wood
- 68x50mm – wood
- 34x50mm – Bi-metal
- 34x50mm – Bi-metal + **TIN**

Tougher and Thicker: Made of alloy steel and high carbon steel, our oscillating multitool blades are manufactured with special techniques and thick gauge which allow our blades to retain durability for a longer period.

- Great for precision cutting
- Built in length markers allow for accurate cuts at every angle
- TIN stands for **Titanium Nitride coating**. When paired with **BIM** (Bi-Metal), it indicates a high-performance blade designed for cutting hard materials.

Reciprocating Saw Blade



Available in: - 6 in
- 9 in
- 12 in
- 18 in

- Heavy-duty reciprocating saw blade designed for demolishing wood containing nails
- Ultimate carbide reciprocating saw blade for cutting cast iron, stainless steel
- Ultimate reciprocating saw blades for cutting brick and blockwork

Spade Drill Bit



Available in: - 3/8 in
- 6 pc set

Spade Drill Bits with Cutting Groove

- High Carbon Steel with Heat Treatment
- Center Point with Cutting Groove
- Quick Change Hex Shank
- Professional grade
- Set includes 3/8", 1/2", 5/8", 3/4", 1", 1-1/4"

Screwdriver Bit - Square



Available in:

- #1, 3.5in
- #1, 6in
- #2, 3.5in
- #2, 6in
- #3, 6in

Square type magnetized screwdriver bit.

- Precision tolerance, heavy duty hardened S2 tool steel
- Standard design for general purpose use
- Magnetized for easy screwing

Screwdriver Bit -Phillips



Available in: - #2, 3.5in
- #2, 6in
- #3, 6in

Phillips type magnetized screwdriver bit.

- Precision tolerance, heavy duty hardened S2 tool steel
- Standard design for general purpose use
- Magnetized for easy screwing

Accessories

Wooden Shims



Available in: - 8 inch

High quality shims used in the installation of doors, windows and framing.

- Feathered ends
- Easy to snap to size
- Consistent quality

PLastic Shims



Type	Length (in)	Thickness (in)	Quantity	Type	Color
1/16	2	1 ½	500 pcs	U type	# 10
1/8	4	1	500 pcs	Rectangle	# 10

High quality shims used in the installation of doors, windows and framing.

Hole Plugs



Available in: - 3 sizes
small (white, black)
medium (white)
large (white)

Hole plugs are used to fill holes in woods, cabinets, and other surfaces.

- Made from durable plastic (polypropylene)
- Easy installation and removal

Drop Cloth



Available in:

- 4 x 12 ft Regular
- 4 x 12 ft PVC drop coated

This 4x12 ft drop cloth is designed to cover and protect carpeted and hard floors from debris and liquids.

- Machine weaved cotton ensures that paint and spills do not make it to the floor beneath
- Finished edges to that resist ripping
- Durable cotton that will stand up to daily wear and use
- PVC drops coating protects carpet and hardwood and keeps a drop cloth from moving

Neoprene Reusable Floor Runner



Available in: - 27 in x 12ft

Non-adhesive floor runner is designed to protect surfaces such as stairs and counter tops. Can be used on any hard floor that requires temporary surface protection.

- Re-usable
- Slip-resistant
- Flexible
- Lightweight

Cotton Rags




Available in: - 2 kg box

Premium Recycled White Cotton Rags:

These are exceptional general-purpose woven wipers for painting, staining, polishing, finishing, dusting, and cleaning tasks. The recycled looped cotton construction provides superior absorption and durability, making them ideal for cleaning rough metal and stone surfaces without tearing. These cut rags can be machine washed and reused multiple times, reducing landfill waste and overall costs.

- Re-usable
- Absorption and durability
- Machine washed
-

Backer Rod



Available in:

- 5/8 inch (1500 ft)
- 7/8 inch (850 ft)
- 1 1/4 inch (400 ft)

Backer rod is a flexible, cylindrical foam material inserted into cracks, gaps, and expansion joints before applying sealant or caulk.

- **Controls Sealant Depth:** Ensures the proper amount of sealant is used, saving money and improving performance.
- **Prevents 3-Sided Adhesion:** By acting as a bond breaker, it allows the sealant to adhere only to the sides of the joint.
- **Fills Large Gaps:** Used in deep cracks or expansion joints, saving on expensive sealant, which would otherwise be needed to fill the entire void.

Stretch Film



Available in:

- 5 in x 1000 ft; 80 ga
- 18 in x 1500 ft; 80 ga
- 12 in x 3000 ft; 60 ga

Versatile stretch film that can be used for moving, storage, and protecting any household items during construction.

- Save time and money - Stretch film is more economical than tape, twine, or strapping.
- Wide range of thicknesses allows you to pick what you need.

Bubble Wrap



Available for: - 16 in x 50 ft rolls

Pack and protect your fragile items with this 50 ft. bubble cushion. The bubble cushion is perforated every 16 in. to make dispensing easy. It provides better protection than loose fill or paper.

- Fragile Item Protection
- Bubble cushion can be used to fill void spaces and prevent shifting in transit
- Bubble cushion is lightweight and reliable packaging
- Bubble cushion is safe for all surfaces
- Roll contains 16 in. W x 50 ft.

Ratchet Tie Down

Available in: - 4 pc set

Four straps of rubber coated Ratchet Tie Down Straps have a 1765 lb (800 kg) break strength.

- 4 straps set
- Rubber coated steel hooks
- Professional grade high quality material
- Durable and easy to use
- Secure you load for any distance



Bending Machine



Available in: - 1 box

The Mark II TrimMaster[®] is accurately and artfully engineered to be the workhorse for any remodeling contractor. Versatile in its ability to perform various complex bending profiles with ease. Go from bending simple flashing to intricate outside corner posts without making any adjustments to the bending brake. The POWERslot™ Hinge “auto-measures” to a 5/8" bend to make tight pockets for vinyl siding and fiber cement boards. The durable Cam-Locking has proven year after year to be reliable without constant adjustments.

- POWERlock™ provides a strong clamping without need for adjusting when changing material.
- POWERslot™ hinge "auto-measures" 5/8" hem with ease.
- Increased bending radius simplifies hemming & over-bending resulting in faster, easier operations.
- Available in lengths of 2'0", 4'6", 6'6", 8'6", 10'6", and 12'6".

Bending Machine accessories

Available in: - 1 pcs (green)

For **Van Mark II Vinyl Strip for Brake Mill**

- Protects material while bending
- Reduces potential marring or scuffing
- Made from durable vinyl material
- Available for every Van-Mark Brake ever built



Tapes

Masking Tape



Available for: - 1.5 in x 50 m

Masking tape is used for temporary and protective applications, primarily in painting to create clean lines and protect surfaces.

- Resists sunlight up to 7 days with clean removal.
- Conforms well around curves and irregular surfaces.
- Use with water and solvent-based paints.
- Green crepe paper with acrylic adhesive.

GlazingTapes



Available for: - 9 mm x 150 ft
- 12 mm x 150 ft

Glazing tape is a specialized adhesive foam product used to seal openings around windows and mount glass within frames for windows, doors, skylights, and other glazing systems.

- High tack, acrylic adhesive
- White poly liner on exposed side
- Meets or exceeds AAMA 810.1-08, Type I specification

Safety

PVC Dotted Gloves



Available in: - Blue/Black (10oz)

These PVC dotted gloves provide unmatched grip and protection. Each package includes 12 pairs of gloves.

- **Strong and durable 10 gauge** gloves composed of 70% cotton and 30% polyester
- Absorb sweat to reduce discomfort in high temperatures
- Dust proof to prevent the entrance of brick dust, saw dust and more
- PVC dots provide a sound and safe grip on tools

Nylon Latex Wrinkle Coated Gloves



Available in: - Large
- Extra Large

13 gauge Nylon Knitted Liner

Nylon gloves provide a second skin feel that allows for comfortable use with tools.

- Crinkle 3/4 Latex Coated Gloves
Breathable and comfortable
- Provides great grip in all conditions
- Washable
- Flexible wrist cuff to prevent slipping

Cotton/PU Nitrile Coating Gloves



Available in: - Large
- Extra Large

Cotton gloves with nitrile coating

- Breathable and comfortable
- Provides great grip in all conditions
- Soft and comfortable
- Flexible wrist cuff to prevent slipping
- Smooth nitrile full coating on palm, prevent grease, oil and chemicals

Nitrile Gloves



Available in: - Orange

Advance Powder-Free Disposable Nitrile Gloves

- Material: Nitrile Gloves
- Heavy Duty 6 mil. No Powder Lubricant Added.
- Length 9" (240mm)
- Industrial Grade 4.0
- Chemical Grade 2.5
- Suitable for gardening auto or cleaning applications.
- Extraordinary strength and puncture resistance while maintaining tactile sensitivity.

Safety Glasses



Available in: - Regular
- Scratch Resistant

Strong, impact resistance and light weight design allows for comfortable wear and ultimate safety.

- Optical class 1 ensures high optical clarity and allows prolonged comfortable wear
- Medium impact protection
- Polycarbonate lens offers excellent impact resistance
- Soft nose bridge and soft rubber tips arms for added comfort
- Polyurethane frames offer great flexibility

Face Masks



Available in: - Blue/White

This is a general use face mask.

- These masks should be disposed of after each use.
- This mask is not intended for medical use, and not proven to reduce the transmission of disease
- Uniquely designed: Comfortable elastic ear loop, extra-soft ear loops eliminate pressure to the ears. 3-ply, with a melt-blown polypropylene filtration layer.